AMENDMENTS TO THE CLAIMS

1-29. (canceled)

- (currently amended) A process for the production of triacylglycerol, comprising: growing a transgenic <u>plant or yeast cell, fungi, or plant eell or transgenie</u> organism-which containing
 - (i) the nucleotide sequence SEQ ID NO: 1 from -S. <u>Saccharomyces</u> cerevisiae. or
 - (ii) the nucleotide sequence that is 95% identical to said SEQ ID NO:1, wherein the respective nucleotide sequences sequence of (i) and (ii) encode an enzyme (SEQ ID NO:2) whereby the nucleotide sequence encoding an enzyme is expressed, wherein said enzyme that catalyzes in an acyl-CoA-independent reaction the transfer of fatty acids from phospholipids to diacylglycerol in the biosynthetic pathway for the production of triacylglycerol.
- (currently amended) A method of producing triacylglycerol and/or triacylglycerols with uncommon fatty acids which comprises comprising:

transforming a plant or yeast cell, fungi, or plant which produces uncommon fatty acids with an organism or host cell using

- (i) the nucleotide sequence SEQ ID NO: 1 from §- Saccharomyces cerevisiae, or
- (ii) the nucleotide sequence that is 95% identical to said SEQ ID NO:1, wherein the respective nucleotide sequences sequence of (i) and (ii) encode SEQ ID NO: 2 whereby the transformation results in the production of an enzyme (SEQ ID NO: 2) that catalyzes in an acyl-CoA-independent reaction the transfer of fatty acids from phospholipids to diacylglycerol in the biosynthetic pathway for the production of triacylglycerol and/or triacylglycerols with uncommon fatty acids an increased oil content of the cell or organism.

32. (currently amended) A method of producing triacylglycerol and/or triacylglycerols with uncommon fatty acids for increasing the oil content of an organism or cell comprising:

transfecting a plant or yeast cell, fungi, or plant cell or organism-with

- (i) the nucleotide of sequence SEQ ID NO: 1 from S. cerevisiae, or
- (ii) the nucleotide sequence 95% identical to said SEO ID NO:1,

wherein the respective nucleotide sequences sequence of (i) and (ii) encode encodes SEQ ID NO: 2 whereby the transformation results in the production of an enzyme (SEQ ID NO: 2) that catalyzes in an acyl-CoA-independent reaction the transfer of fatty acids from phospholipids to diacylglycerol in the biosynthetic pathway for the production of triacylglycerol and/or triacylglycerols thereby increasing the oil content of an organism.

- 33-37. (canceled)
- 38. (new) The method of claim 32 wherein the oil content is increased in seeds.
- 39. (new) The process of claim 30 wherein the process comprises the step of growing a transgenic plant or yeast cell, or plant.
- 40. (new) The method of claim 31 wherein the method comprises the step of transforming a transgenic plant or yeast cell, or plant.
- 41. (new) The method of claim 32 wherein the method comprises the step of transfecting a transgenic plant or yeast cell, or plant.
- 42. (new) The method of claim 31 wherein the uncommon fatty acids are in the form of phospholipids.